

CANNA HYDRO HARD WATER

GROWSCHEDULE



DAYS AND WEEKS	VEGETATIVE PHASE				GENERATIVE PHASE						
	ROOTING	I	II		I			II	III	IV	
	D1-5	D6-25	W1	W2	W3	W4	W5	W6	W7	W8	W9
LIGHT HOURS	18	18	12	12	12	12	12	12	12	12	12
Dosages in ml per 10 L											
CANNA HYDRO VEGA A (HW)	24 - 31	28 - 35	28 - 35	28 - 35							
CANNA HYDRO VEGA B (HW)	24 - 31	28 - 35	28 - 35	28 - 35							
CANNA HYDRO FLORES A (HW)					28 - 35	28 - 35	28 - 35	28 - 35	24 - 32	21 - 28	
CANNA HYDRO FLORES B (HW)					28 - 35	28 - 35	28 - 35	28 - 35	24 - 32	21 - 28	
CANNA RHIZOTONIC	40	20	20	20	5	5	5	5	5		
CANNAZYM		25	25	25	25	25	25	25	25	25 - 50 *	25 - 50
CANNABOOST			20 **	20	20 - 40	20 - 40	20 - 40	20 - 40	20 - 40	20 - 40	20 - 40
CANNA PK 13/14								15			
CANNA FLUSH									40		40
mS/cm											
EC WATER	0,6	0,6	0,6	0,6	0,6	0,6	0,6	0,6	0,6	0,6	0,6
EC NUTRITION	1,5 - 1,9	1,7 - 2,1	1,7 - 2,1	1,7 - 2,1	1,7 - 2,1	1,7 - 2,1	1,7 - 2,1	2,0 - 2,4	1,4 - 1,9	1,2 - 1,7	
EC TOTAL	2,1 - 2,5	2,3 - 2,7	2,3 - 2,7	2,3 - 2,7	2,3 - 2,7	2,3 - 2,7	2,3 - 2,7	2,6 - 3,0	2,0 - 2,5	1,8 - 2,3	0,6

This cultivation schedule is intended for plants that develop flowers or fruits, starting from a one-week-old cutting or seedling. The duration of each phase may vary depending on the species.

* Double CANNAZYM dosage to 50 ml/10 L, if substrate is reused.

** Increase CANNABOOST to a maximum of 40 ml/10 L through flowering for extra strength.

For a longer growth phase, repeat the recommended dosages from vegetative Phase I (D6-25).

For a longer flowering phase, repeat the recommended dosages from generative Phase I (W3-W5).

Add CANNA PK 13/14 in the period 3-4 weeks before harvest.

Recommended pH is between 5.2 and 6.2.

